

## M18 GG | M18™ GREASE GUN

**M18**

- Powerful 18V motor delivers over 690 bar max. operating pressure
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Extreme long run time - dispenses up to 7 cartridges per charge
- Strong handle balance and ergonomics - only 355 mm long and 3.9 kg
- Air bleeder valve - priming mechanism for quick flow
- Integrated hose storage, shoulder strap loop & LED fuel gauge - added user convenience and reducing down time
- Three way loading - bulk, cartridge and suction capable
- Grease capacity 400 ml cartridge, 473 ml bulk
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability
- REDLITHIUM™ battery pack provides superior pack construction, electronics and fade-free performance to deliver more run time and more work over pack life
- Flexible battery system: works with all MILWAUKEE® M18™ batteries
- Supplied with 1219 mm high pressure flex hose with spring guard



	M18 GG-0	M18 GG-201C
Pressure (bar)	690	690
Weight with battery pack (kg)	-	3.9
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox
Article Number	4933440493	4933440490

## M18 BBL | M18™ BATTERY BLOWER

**M18**

- Compact body - clears dirt and debris in tight spaces
- Power control - 3 speed settings with variable speed trigger
- Versatile attachments - nozzle extension (228.6 mm), universal inflator/ deflator attachment
- Removable nozzle for easy, convenient storage
- Lock-on switch
- Flexible battery system: works with all MILWAUKEE® M18™ batteries



	M18 BBL-0
Air volume (m <sup>3</sup> /min)	0 - 2.9
Airflow speed (km/h)	0 - 42.8
Fan speed (rpm)	0 - 18,700
Length without nozzle (mm)	375
Weight with battery pack (kg)	1.2
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933446216

## M18 AF | M18™ AIR FAN

**M18**

- AC/DC, allows the user to run on M18™ REDLITHIUM™ or AC power when available
- Three speed settings for optimised air flow up to 1290 meters per hour
- Efficient air circulation circulates the air within a 3.6 m x 4 m room
- Adjustable head allows the user to utilise the fan in various heights and positions over a range of 120°
- Three hours run time on speed three with a M18™ REDLITHIUM™ 4.0 Ah battery pack
- Compact design with integrated carry handle to maximise portability
- Rubber feet provide stability and no surface scratches
- Fixing points gives the user the option to wall mount the fan if needed
- AC adaptor supplied
- Flexible battery system: works with all MILWAUKEE® M18™ batteries



	M18 AF-0
Airflow speed 1 (m <sup>3</sup> /h)	760
Airflow speed 2 (m <sup>3</sup> /h)	1000
Airflow speed 3 (m <sup>3</sup> /h)	1290
Weight with battery pack (kg)	2.7
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933451022

# OUTDOOR EQUIPMENT



**M18 FCHS | M18 FUEL™ CHAINSAW WITH 40 CM BAR**

- The M18 FUEL™ chainsaw delivers the power to outperform on the most demanding chainsaw applications vs. petrol chainsaws
- FUEL™ technology allows the saw to maintain speed in tough application without bogging down, giving it the ability to outperform petrol chainsaws up to 40cc
- Next generation POWERSTATE™ brushless motor, REDLINK PLUS™ electronics and REDLITHIUM™ HIGH OUTPUT™ 12.0 Ah battery pack deliver superior performance, durability and run time in high demand applications
- Provides extremely high work per charge the saw will cut 150 pieces of 100 mm x 100 mm pine on one full charge of a 12.0 Ah battery pack
- High strength all metal gearing delivers best in class torque
- Variable speed trigger allows the user to have full control over the power curve, giving instantaneous throttle response to reach full speed in under one second
- All metal bucking spikes allows the user increased leverage when cutting
- No-spill oil reservoir with easy to access tank and clear viewing window
- Supplied with 80cc of oil, chain tool and bar cover

**M18 FUEL™**

	M18 FCHS-0	M18 FCHS-121
Chain bar length (cm)	40	40
Chain speed (m/s)	12.4	12.4
Weight with battery pack (kg)	-	6.4
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB12 Battery pack, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933464723	4933464223

**406.4 MM SAW CHAIN FOR M18 FUEL™ SAW**

Article Number 4932464873

**M18 FCHSC | M18 FUEL™ CHAINSAW WITH 30 CM BAR**

- Delivers the power to outperform on the most demanding chainsaw applications vs. petrol chainsaws
- FUEL™ technology allows the saw to maintain speed in tough application without bogging down, giving it the ability to outperform petrol chainsaws up to 40cc
- Next generation POWERSTATE™ brushless motor, REDLINK PLUS™ electronics and REDLITHIUM™ HIGH OUTPUT™ 12.0 Ah battery pack deliver superior performance, durability and run time in high demand applications
- Provides extremely high work per charge the saw will cut 150 pieces of 100 mm x 100 mm pine on one full charge of a 12.0 Ah battery pack
- Shorter bar of 30 cm allows users to work in confined areas
- Variable speed trigger allows the user to have full control over the power curve, giving instantaneous throttle response to reach full speed in under one second
- All metal bucking spikes allows the user increased leverage when cutting
- No-spill oil reservoir with easy to access tank and clear viewing window
- Supplied with 80cc of oil, chain tool and bar cover
- Flexible battery system: works with all MILWAUKEE® M18™ batteries

**M18 FUEL™**

	M18 FCHSC-0	M18 FCHSC-121
Chain bar length (cm)	30	30
Chain speed (m/s)	12.4	12.4
Weight with battery pack (kg)	-	6.4
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB12 Battery pack, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933471441	4933471442

**12" / 304.8 MM SAW CHAIN**

Article Number 4932471385

**M12 FHS | M12 FUEL™ HATCHET™ PRUNING SAW**

- M12 FUEL™ HATCHET™ pruning saw delivers outstanding control & access, has the power to cut 75 mm hardwoods, and delivers up to 120 cuts per charge on a M12 B4 battery pack
- Designed to meet the ergonomic, performance, and durability needs of landscape maintenance professionals
- Weighing 2.3 kg and featuring a compact design, the cordless pruning saw gives you increased control and manoeuvrability in tight access areas
- Easy access chain tensioner ensures quick adjustment to chain tension
- Translucent oil reservoir allows for clear visibility to oil levels
- Variable speed trigger gives the user full control over the power range
- All metal bucking spikes allow for increased leverage during applications
- Automatic oiler for ease of use and proper chain lubrication
- Onboard storage for srench
- Supplied with 1x Oregon 15 cm (6") bar and chain, 1x scabbard, and 1x srench
- Integrates three MILWAUKEE®-exclusive technologies - the POWERSTATE™ brushless motor, REDLITHIUM™ battery pack and REDLINK PLUS™ intelligence hardware and software - which deliver outstanding power, run time and durability on the jobsite
- Flexible battery system: works with all MILWAUKEE® M12™ batteries

**M12**

	M12 FHS-0	M12 FHS-602X
Chain bar length (cm)	15	15
Chain speed (m/s)	5	5
Usable cutting length (cm)	14	14
Weight with battery pack (kg)	-	2.3
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B6 Battery packs, C12 C Charger, HD Box
Article Number	4933472211	4933472212

**6" / 152 MM SAW CHAIN**

Article Number 4932478427

**M18 FBL | M18 FUEL™ BLOWER**

- POWERSTATE™ brushless motor provides increased efficiency, lasts longer and delivers maximum power
- REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load
- Ergonomic inline design clears debris and dirt in tight spaces
- Up to 12.74 m³/min of air volume at 193 km/h to clear debris
- Variable trigger and speed lock for full power control
- Lock-on switch
- Flexible battery system: works with all MILWAUKEE® M18™ batteries

**M18 FUEL™**

	M18 FBL-0
Air volume 1 (m³/min)	8.75
Air volume 2 (m³/min)	12.7
Airflow speed 1 (km/h)	133
Airflow speed 2 (km/h)	193
Fan speed (rpm)	14,000
Weight with battery pack (kg)	4.4
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459825

**M18 BLLT | M18™ BRUSHLESS LINE TRIMMER**

- The M18™ brushless line trimmer has the power to clear thick brush and reaches full throttle in under 1 second
- Up to 4600 RPM in first mode and 6200 RPM in second mode
- 2-speed variable trigger allows the user to choose between higher performance or extended run time
- Adjustable cutting swath of 35 cm - 40 cm
- Up to 1 hour of run time with M18™ HIGH OUTPUT™ 8.0 Ah battery pack
- Easy load trimmer head and adjustable auxiliary handle for optimum user comfort and control
- POWERSTATE™ brushless motor provides increased efficiency, lasts longer and delivers maximum power
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Flexible battery system: works with all MILWAUKEE® M18™ batteries



	M18 BLLT-0
Cutting line diameter (mm)	2.4
Cutting path width (cm)	40
Weight with battery pack (kg)	5.6
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933472218

**M18 CHT | M18 FUEL™ HEDGE TRIMMER**

- POWERSTATE™ brushless motor provides increased efficiency, lasts longer and delivers maximum power
- REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load
- Power to cut 20 mm branches
- 600 mm blade trims more material in a single pass, increasing reach and productivity
- Up to 2 hours run time with M18™ 9.0 Ah battery pack
- Cuts up to 30% faster vs. cordless competitor
- Flexible battery system: works with all MILWAUKEE® M18™ batteries

**M18 FUEL™**

	M18 CHT-0
No load speed (m/min)	3400
Blade length (mm)	610
Tooth spacing (mm)	20
Cutting capacity (mm)	20
Sharpening angle to horizontal (°)	~ 30
Weight with battery pack (kg)	5.0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459346


# M18 FOPH

**M18 FUEL**

## M18 FUEL™ OUTDOOR POWER HEAD WITH QUIK-LOK™

- o Versatile outdoor power equipment system, powered by a single power head
- o Delivers the capability to swap between multiple attachments to complete a wide range of applications
- o Full throttle in under 1 second
- o 2-speed with variable speed trigger
- o POWERSTATE™ brushless motor provides increased efficiency, lasts longer and delivers maximum power
- o REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load
- o Adjustable auxiliary handle, strap and carrying ring help set the tool up for the optimum user comfort and control

M18 FOPH-0	
No load speed gear 1 (rpm)	0 - 6860
No load speed gear 2 (rpm)	0 - 8680
Weight with battery pack (kg)	4.1
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933464954



M18 FOPH-LTA	M18 FOPH-CSA	M18 FOPH-EA	M18 FOPH-HTA	M18 FOPH-EXA
QUIK-LOK™ line trimmer attachment	QUIK-LOK™ chainsaw attachment	QUIK-LOK™ edger attachment	QUIK-LOK™ hedge trimmer attachment	QUIK-LOK™ extension attachment
4932464955	4932464957	4932464958	4932464959	4932464960

## M18 FOPHLTKIT | M18 FUEL™ OUTDOOR POWER HEAD - LINE TRIMMER KIT

**M18 FUEL**

- o Brushless POWERSTATE™ motor for longer motor life and up to 20% more power
- o REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load
- o Full throttle in under 1 second
- o Has the power to clear thick brush
- o Up to 1 hour of run time with M18™ 9.0 Ah battery pack
- o 2-speed with variable speed trigger
- o 135° protection guard
- o Compatible with all MILWAUKEE® outdoor power head system attachments
- o Flexible battery system: works with all MILWAUKEE® M18™ batteries
- o Adjustable auxiliary handle, strap and carrying ring help set the tool up for the optimum user comfort and control



M18 FOPHLTKIT-0	
No load speed gear 1 (rpm)	0 - 4900
No load speed gear 2 (rpm)	0 - 6200
Cutting line diameter (mm)	2.0 / 2.4
Max. cutting capacity (mm)	400
Weight with battery pack (kg)	4.7
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933464956

# OUTDOOR EQUIPMENT



# M18 FOPH


## M18 FUEL™ OUTDOOR POWER HEAD WITH QUIK-LOK™

**M18 FUEL**

- o Versatile outdoor power equipment system, powered by a single power head
- o Delivers the capability to swap between multiple attachments to complete a wide range of applications
- o Full throttle in under 1 second
- o 2-speed with variable speed trigger
- o POWERSTATE™ brushless motor provides increased efficiency, lasts longer and delivers maximum power
- o REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load
- o Adjustable auxiliary handle, strap and carrying ring help set the tool up for the optimum user comfort and control

**M18 FOPH-0**

No load speed gear 1 (rpm)	0 - 6860
No load speed gear 2 (rpm)	0 - 8680
Weight with battery pack (kg)	4.1
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933464954



M18 FOPH-LTA	M18 FOPH-CSA	M18 FOPH-EA	M18 FOPH-ITA	M18 FOPH-EXA
QUIK-LOK™ line trimmer attachment 4933464955	QUIK-LOK™ chainsaw attachment 4933464957	QUIK-LOK™ edger attachment 4933464958	QUIK-LOK™ hedge trimmer attachment 4933464959	QUIK-LOK™ extension attachment 4933464960

# M18 FOPHLTKIT | M18 FUEL™ OUTDOOR POWER HEAD - LINE TRIMMER KIT

**M18 FUEL**

- \* Brushless POWERSTATE™ motor for longer motor life and up to 20% more power
- \* REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load
- \* Full throttle in under 1 second
- \* Has the power to clear thick brush
- \* Up to 1 hour of run time with M18™ 9.0 Ah battery pack
- \* 2-speed with variable speed trigger
- \* 135° protection guard
- \* Compatible with all MILWAUKEE® outdoor power head system attachments
- \* Flexible battery system: works with all MILWAUKEE® M18™ batteries
- \* Adjustable auxiliary handle, strap and carrying ring help set the tool up for the optimum user comfort and control

**M18 FOPHLTKIT-0**

No load speed gear 1 (rpm)	0 - 4900
No load speed gear 2 (rpm)	0 - 6200
Cutting line diameter (mm)	2.0 / 2.4
Max. cutting capacity (mm)	400
Weight with battery pack (kg)	4.7
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933464956



# M18 BPPFH

## M18™ SWITCH TANK™

**M18**

- o The M18™ SWITCH TANK™ 15 l backpack fluid pump sprayer delivers the industry's first interchangeable tank design with no manual pumping
- o The interchangeable tank design isolates the pump, hose and wand, separating wearable components from the M18™ SWITCH TANK™ powered base
- o Add on and replace tank assemblies to eliminate cross-chemical contamination and lower cost of ownership
- o 120 PSI (8.27 Bar) pump pressure
- o Features adjustable pressure selection dial to best suit user requirements
- o Up to 2 hours of run time (12 or more tanks) with 4.0 Ah battery pack
- o Flexible battery system: works with all MILWAUKEE® M18™ batteries

**M18 BPPFH-0**

Weight with battery pack (kg)	-	M18 BPPFH-401	5.0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 B4 Battery pack, charger supplied, No kitbox or bag supplied	
Article Number	4933464961	kitbox or bag supplied	4933464962



The interchangeable tank design



Add on and replace tank assemblies to eliminate cross-chemical contamination



M18 BPPFH-CST	M18 BPPFH-WST	M18 BPPFH-CCST
M18™ SWITCH TANK™ 15L Chemical Sprayer	M18™ SWITCH TANK™ 15L Water Supply	M18™ SWITCH TANK™ 15L Concrete Sprayer
<ul style="list-style-type: none"> <li>o Fully compatible with SWITCH TANK™</li> <li>o Chemical sprayer tank for pesticides/fertilizers/treatments/herbicides/fungicides/insecticides/de-icing agents and more</li> <li>o Semi-transparent tank with measuring scale to know how much liquid is inside the tank</li> <li>o Carry handle lid with wide mouth makes easy transport and pouring of water/chemicals into tank</li> <li>o Comfortable rubber gripped spray wand handle with ability to lock-on for larger jobs</li> <li>o Sprayer wand storage to save space and avoid damage during transport</li> <li>o Integrated strainer prevents debris from entering the tank</li> </ul>	<ul style="list-style-type: none"> <li>o Fully compatible with SWITCH TANK™</li> <li>o Water sprayer tank for efficient water delivery for washing up slurry's, areas and equipment</li> <li>o Semi-transparent tank with measuring scale to know how much liquid is inside the tank</li> <li>o Carry handle lid with wide mouth makes easy transport and pouring of water into tank</li> <li>o Replaceable hose with standard garden hose quick coupling and spray nozzle - attaches easily to concrete cutting and coring equipment. Also compatible with standard garden nozzle accessories</li> <li>o Integrated strainer prevents debris from entering the tank</li> <li>o 5-mode pressure adjustment knob</li> <li>o UV resistant</li> </ul>	<ul style="list-style-type: none"> <li>o Fully compatible with SWITCH TANK™</li> <li>o Delivers to meet the needs of concrete contractors, designed instant, constant and adjustable pressure up to 120 PSI and a 7.6 m spray distance</li> <li>o Semi-transparent tank with measuring scale to know how much liquid is inside the tank</li> <li>o 5-mode pressure adjustment knob adjusts pressure between 20 - 120 PSI with a high flow rate optimised to cover a large surface</li> <li>o Carry handle lid with wide mouth makes easy transport and pouring of water/chemicals into tank</li> <li>o Integrated strainer prevents debris from entering the tank</li> <li>o When equipped with an M18™ REDLITHIUM™ 4.0 Ah battery it provides up to 12 tanks of spraying per charge</li> </ul>
4933464964	4933464965	4933471371

## M18 FBL | M18 FUEL™ BLOWER

- POWERSTATE™ brushless motor provides increased efficiency, lasts longer and delivers maximum power
- REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load
- Ergonomic inline design clears debris and dirt in tight spaces
- Up to 12.74 m<sup>3</sup>/min of air volume at 193 km/h to clear debris
- Variable trigger and speed lock for full power control
- Lock-on switch
- Flexible battery system: works with all MILWAUKEE® M18™ batteries



**M18 FUEL**

### M18 FBL-0

Air volume 1 (m <sup>3</sup> /min)	8.75
Air volume 2 (m <sup>3</sup> /min)	12.7
Airflow speed 1 (km/h)	133
Airflow speed 2 (km/h)	193
Fan speed (rpm)	14,000
Weight with battery pack (kg)	4.4
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459825

## M18 BLLT | M18™ BRUSHLESS LINE TRIMMER

- The M18™ brushless line trimmer has the power to clear thick brush and reaches full throttle in under 1 second
- Up to 4600 RPM in first mode and 6200 RPM in second mode
- 2-speed variable trigger allows the user to choose between higher performance or extended run time
- Adjustable cutting swath of 35 cm – 40 cm
- Up to 1 hour of run time with M18™HIGH OUTPUT™ 8.0 Ah battery pack
- Easy load trimmer head and adjustable auxiliary handle for optimum user comfort and control
- POWERSTATE™ brushless motor provides increased efficiency, lasts longer and delivers maximum power
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Flexible battery system: works with all MILWAUKEE® M18™ batteries



**M18**

### M18 BLLT-0

Cutting line diameter (mm)	2.4
Cutting path width (cm)	40
Weight with battery pack (kg)	5.6
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933472218

# M18 BPFPH



## M18™ SWITCH TANK™

- o The M18™ SWITCH TANK™ 15 l backpack fluid pump sprayer delivers the industry's first interchangeable tank design with no manual pumping
- o The interchangeable tank design isolates the pump, hose and wand, separating wearable components from the M18™ SWITCH TANK™ powered base
- o Add on and replace tank assemblies to eliminate cross-chemical contamination and lower cost of ownership
- o 120 PSI (8.27 Bar) pump pressure
- o Features adjustable pressure selection dial to best suit user requirements
- o Up to 2 hours of run time (12 or more tanks) with 4.0 Ah battery pack
- o Flexible battery system: works with all MILWAUKEE® M18™ batteries



The interchangeable tank design



Add on and replace tank assemblies to eliminate cross-chemical contamination

	M18 BPFPH-0	M18 BPFPH-01
Weight with battery pack (kg)	-	5.0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 B4 Battery pack, M12-18 C Charger, No kitbox or bag supplied
Article Number	4933464961	4933464962



M18 BPFPH-CST	M18 BPFPH-WST	M18 BPFPH-CCST
M18™ SWITCH TANK™ 15L Chemical Sprayer	M18™ SWITCH TANK™ 15L Water Supply	M18™ SWITCH TANK™ 15L Concrete Sprayer
<ul style="list-style-type: none"> <li>o Fully compatible with SWITCH TANK™</li> <li>o Chemical sprayer tank for pesticides/fertilizers/treatments/herbicides/fungicides/insecticides/de-icing agents and more</li> <li>o Semi-transparent tank with measuring scale to know how much liquid is inside the tank</li> <li>o Carry handle lid with wide mouth makes easy transport and pouring of water/chemicals into tank</li> <li>o Comfortable rubber gripped spray wand handle with ability to lock-on for larger jobs</li> <li>o Sprayer wand storage to save space and avoid damage during transport</li> <li>o Integrated strainer prevents debris from entering the tank</li> </ul>	<ul style="list-style-type: none"> <li>o Fully compatible with SWITCH TANK™</li> <li>o Water sprayer tank for efficient water delivery for concrete cutting and coring applications. Also useful for washing up slurry's, areas and equipment</li> <li>o Semi-transparent tank with measuring scale to know how much liquid is inside the tank</li> <li>o Carry handle lid with wide mouth makes easy transport and pouring of water into tank</li> <li>o Replaceable hose with standard garden hose quick coupling and spray nozzle - attaches easily to concrete cutting and coring equipment. Also compatible with standard garden nozzle accessories</li> <li>o Integrated strainer prevents debris from entering the tank</li> <li>o 5-mode pressure adjustment knob</li> <li>o UV resistant</li> </ul>	<ul style="list-style-type: none"> <li>o Fully compatible with SWITCH TANK™</li> <li>o Designed to meet the needs of concrete contractors, delivers instant, constant and adjustable pressure up to 120 PSI and a 7.6 m spray distance</li> <li>o Semi-transparent tank with measuring scale to know how much liquid is inside the tank</li> <li>o 5-mode pressure adjustment knob adjusts pressure between 20 – 120 PSI with a high flow rate optimised to cover a large surface</li> <li>o Carry handle lid with wide mouth makes easy transport and pouring of water/chemicals into tank</li> <li>o Integrated strainer prevents debris from entering the tank</li> <li>o When equipped with an M18™ REDLITHIUM™ 4.0 Ah battery it provides up to 12 tanks of spraying per charge</li> </ul>
4933464964	4933464965	4933471371